



## Product Code

**ECS306-3-K**

- ◆ Chopped Strand
- ◆ Sizing Agent Code
- ◆ Cut Length
- ◆ Fiber Diameter

ECS306 is a chopped fiber specifically designed for reinforcing thermoplastic plastics. It undergoes precise surface treatment with advanced silane-based sizing agents and is a dedicated modification product for MPPO (PPE). This product is widely used across various fields such as transportation, electronics and electrical appliances, construction, and mechanical manufacturing.

Product Features	Technical Specifications			
<ul style="list-style-type: none"><li>Well-balanced dispersibility</li><li>Excellent bundle integrity</li><li>Superior processability</li><li>Excellent resin compatibility</li></ul>	Filament Diameter [ $\mu\text{m}$ ]	Loss On Ignition[%]	Moisture Content[%]	Strand Integrity[g]
	ISO 1888	ISO 1887	ISO 3344	*Q/CPIC TM-13
	13±1	0.6±0.1	≤0.05	≤5

## 規格型号 Specification

Product Code	Glass Type	Fiber Diameter [ $\mu\text{m}$ ]	Cut Length [mm]
ECS306-3-K	ECT	13	3

## 包装与储存 Packaging & Storage

Packaging	Nominal Weight [kg]	Quantity per Pallet [个]	Pallet dimensions [mm]
Bulk bag	1000	1	1140*1140*1160
bags of paper	25	40	1140*1140*830

Please store the glass fiber products in a dry and cool environment, with recommended temperature control between 10-30° C and humidity control between 50-75%. The product must remain in its sealed packaging until use. Pallet stacking height should not exceed one layer.

