



Product Code

ECS308-3-H

- ◆Chopped Strand
- ◆Sizing Agent Code
- ◆Cut Length
- ◆Fiber Diameter

ECS308 is a chopped fiber specifically designed for reinforcing thermoplastic plastics, featuring precision surface treatment with advanced silane-based sizing agents. As a standard POM-specific modified product, it delivers excellent process operability. Widely used in transportation, electrical appliances, machinery manufacturing and other industrial sectors. The product is guaranteed to be NPE-free with superior quality.

Product Features

- Good dispersibility
- Low fuzz generation
- Excellent process operability
- Good resin compatibility

Technical Specifications

<ul style="list-style-type: none">● Good dispersibility● Low fuzz generation● Excellent process operability● Good resin compatibility	Filament Diameter [μm]	Loss On Ignition [%]	Moisture Content [%]	Strand Integrity [g]
	ISO 1888	ISO 1887	ISO 3344	*Q/CPIC TM-13
	10±1	0.65±0.10	≤0.05	≤20

规格型号 Specification

Product Code	Glass Type	Fiber Diameter [μm]	Cut Length [mm]
ECS308-3-H	ECT	10	3、4.5

包装与储存 Packaging & Storage

Packaging	Nominal Weight [kg]	Quantity per Pallet [个]	Pallet dimensions [mm]
Bulk bag	1000	1	1140*1140*1160
bags of paper	25	40	1140*1140*830

Please store the glass fiber products in a dry and cool environment, with recommended temperature control between 10-30° C and humidity control between 50-75%. The product must remain in its sealed packaging until use. Pallet stacking height should not exceed one layer.

